

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050123008"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 10:17
S3	39	S2 and (tun\$4 near3 laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 10:19
S2	103	((Daiber near2 Andrew) or (Rice near3 Mark) or (Batra near3 Rajesh) or (Koller near3 Ken)).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 10:19
S6	1	S2 and (tun\$4 near3 laser) and temperature and filter and (control\$4) and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 10:21
S7	11	("20020126345" "20020176473" "20030007540" "20030012237" "20030016706" "20030033819" "5594746" "5761234" "6359918" "6600760").PN. OR ("6667998").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/12/14 10:22
S4	34	S2 and (tun\$4 near3 laser) and temperature and filter and control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 10:23
S5	2	S2 and (tun\$4 near3 laser) and temperature and filter and (control\$4 near5 linea\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 10:26
S9	21	S2 and (tun\$4 near3 laser) and temperature and filter and (control\$4 near5 error near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 11:23
S8	23	S2 and (tun\$4 near3 laser) and temperature and filter and (control\$4 near5 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 11:23
S10	14	S2 and (tun\$4 near3 laser) and (temperature with filter) and (control\$4 near5 error near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 11:24
S13	1	matrix and (tun\$4 near3 laser) and (temperature with filter near4 tun\$4) and (control\$4 near5 error near4 signal) and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 11:28

S12	1	matrix and (tun\$4 near3 laser) and (temperature with filter near4 tun\$4) and (control\$4 near5 error near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 11:28
S15	79	(tun\$4 near3 laser) and (temperature AND filter near4 tun\$4) and (control\$4 near5 error near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 11:37
S14	21	S2 and (tun\$4 near3 laser) and (temperature AND filter near4 tun\$4) and (control\$4 near5 error near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 11:37
S11	8	S2 and (tun\$4 near3 laser) and (temperature with filter near4 tun\$4) and (control\$4 near5 error near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/14 11:37
S16	18	(tun\$4 near3 laser) and (temperature SAME (filter near4 tun\$4)) and (control\$4 near5 error near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:46
L4	29	2 and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:50
L3	17	1 and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:50
L2	391	(temperature with filter near4 tun\$4) and control\$4 and (temperature near5 (control\$4 or controllable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:51
L1	106	(temperature with filter near4 tun\$4) and control\$4 and (temperature near5 (control\$4 or controllable)) and (laser near3 tun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:51
L8	0	(temperature with filter near4 tun\$4) and control\$4 and (temperature near5 (control\$4 or controllable)) and (error near3 signal) and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:52
L7	1	((error near3 signal) with (temperature with filter near4 tun\$4)) and control\$4 and ((error near3 signal) with (temperature near5 (control\$4 or controllable))) and (laser near3 tun\$4) and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:52

L5	120	(temperature with filter near4 tun\$4) and control\$4 and (temperature near5 (control\$4 or controllable)) and (error near3 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:52
L11	9	((error near3 signal) same (temperature with filter)) and control\$4 and ((error near3 signal) same (temperature near5 (control\$4 or controllable))) and (laser near3 tun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:54
L10	1	((error near3 signal) same (temperature with filter near4 tun\$4)) and control\$4 and ((error near3 signal) same (temperature near5 (control\$4 or controllable))) and (laser near3 tun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:54
L12	25	((error near3 signal) same (temperature with filter)) and control\$4 and ((error near3 signal) same (temperature near5 (control\$4 or controllable))) and (tun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:55
L6	1	((error near3 signal) with (temperature with filter near4 tun\$4)) and control\$4 and ((error near3 signal) with (temperature near5 (control\$4 or controllable))) and (laser near3 tun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:56
L15	3	((error near3 signal) with (temperature near3 filter)) and control\$4 and ((error near3 signal) with (temperature near5 (control\$4 or controllable))) and (laser near3 tun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:58
L14	7	((error near3 signal) with (temperature with filter)) and control\$4 and ((error near3 signal) with (temperature near5 (control\$4 or controllable))) and (laser near3 tun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:58
L13	12	((error near3 signal) same (temperature with filter)) and control\$4 and ((error near3 signal) same (temperature near5 (control\$4 or controllable))) and (tun\$4 with laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:58
L16	4	((error near3 signal) same (temperature near3 filter)) and control\$4 and ((error near3 signal) same (temperature near5 (control\$4 or controllable))) and (tun\$4 with laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 10:59
L17	40	(ECDL or (external near2 cavity near2 diode near laser)) and (TEC or ((thermal near2 electrical near3 cooler) or (Thermal-electrical near2 cooler)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 11:01
L18	33	17 and filter and temperature and tun\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 11:02

L19	18	17 and (filter with temperature) and tun\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 11:03
L20	18	17 and (filter with temperature) and (tun\$4 near4 laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 11:09
L21	18	(ECDL or (external near2 cavity near2 diode near laser)) and (TEC or ((thermal near2 electrical near3 cooler) or (Thermal-electrical near2 cooler)))and (filter with temperature) and (tun\$4 near4 laser) and control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 11:10
L22	16	(ECDL or (external near2 cavity near2 diode near laser)) and (TEC or ((thermal near2 electrical near3 cooler) or (Thermal-electrical near2 cooler)))and (filter with temperature) and (tun\$4 near4 laser) and (control\$4 same (error near3 signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 11:16
L23	16	(ECDL or (external near2 cavity near2 diode near laser)) and (TEC or ((thermal near2 electrical near3 cooler) or (Thermal-electrical near2 cooler)))and (filter with temperature) and (tun\$4 near4 laser) and (control\$4 same (error near3 signal)) and (temperature near4 (control\$4 or controllable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 11:51
L24	1	(ECDL or (external near2 cavity near2 diode near laser)) and (TEC or ((thermal near2 electrical near3 cooler) or (Thermal-electrical near2 cooler)))and (filter with temperature) and (tun\$4 near4 laser) and (control\$4 same (error near3 signal)) and (temperature near4 (control\$4 or controllable)) and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 12:06
L26	8	(ECDL or (external near2 cavity near2 diode near laser)) and (TEC or ((thermal near2 electrical near3 cooler) or (Thermal-electrical near2 cooler)))and (filter near4 temperature) and (tun\$4 near4 laser) and (control\$4 same (error near3 signal)) and (temperature near4 (control\$4 or controllable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 12:08
L25	1	(ECDL or (external near2 cavity near2 diode near laser)) and (TEC or ((thermal near2 electrical near3 cooler) or (Thermal-electrical near2 cooler)))and (filter near4 temperature) and (tun\$4 near4 laser) and (control\$4 same (error near3 signal)) and (temperature near4 (control\$4 or controllable)) and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 12:10
L29	2	(ECDL or (external near2 cavity near2 diode near laser)) and (TEC or ((thermal near2 electrical near3 cooler) or (Thermal-electrical near2 cooler))) and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 12:11
L28	1	(ECDL or (external near2 cavity near2 diode near laser)) and (TEC or ((thermal near2 electrical near3 cooler) or (Thermal-electrical near2 cooler))) and (control\$4 same (error near3 signal)) and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 12:11
L30	1	(ECDL or (external near2 cavity near2 diode near laser)) and (TEC or ((thermal near2 electrical near3 cooler) or (Thermal-electrical near2 cooler))) and (filter near4 temperature) and (tun\$4 near4 laser) and (control\$4 same (error near3 signal)) and (temperature near4 (control\$4 or controllable)) and coupler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 12:12

L27	1	(ECDL or (external near2 cavity near2 diode near laser)) and (TEC or ((thermal near2 electrical near3 cooler) or (Thermal-electrical near2 cooler))) and (filter near4 temperature) and (tun\$4 near4 laser) and (control\$4 same (error near3 signal)) and (temperature near4 (control\$4 or controllable)) and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/12/16 12:12
-----	---	---	---	-----	----	------------------


[Home](#) | [Index](#) | [Resources](#) | [Contact Us](#) | [Feedback](#)

Scientific & Technical Information Center

SERVICES	
Database Search	submit
PLUS Search	submit
Book/Article Delivery	submit
Book/Journal Purchase	submit
Foreign Patents	submit
Telework Support	submit
Translation	submit
SIRA Automation Training	
STIC Demos & Events	

RESOURCES	
STIC Online Catalog	
Databases	
E-Books	search
E-Journals	search
Legal Tools	
Nanotechnology	
Reference Tools	

STIC	
About Us	
FAQ	
Locations & Hours	
News	
Site Map	
Staff	


Search STIC Site



If you cannot access a file because of a missing or non-working plugin, please contact the Help Desk at 2-9000 for installation assistance.

[Intranet Home](#) | [Index](#) | [Resources](#) | [Contacts](#) | [Internet](#) | [Search](#) | [Firewall](#) | [Web Services](#)

Last modified 12/16/2005 08:58:43



[Home](#) > [Online Database Search Form](#) > Database Search Request Confirmation

Database Search Request Confirmation

Thank you, Delma R. Flores-Ruiz. Your request (shown below) has been successfully sent to the STIC staff and a confirmation email was also sent to your own email address at delma.flores@uspto.gov.

Your name: Delma R. Flores-Ruiz
 Email address: delma.flores@uspto.gov
 Employee number: 77455
 Art Unit: 2828
 Office Location: Jeff 5A20
 Phone Number: 272-1940
 Mailbox Number :

Case serial number: 10731172
 Class / Subclass(es): 372/20,92,96,34
 Earliest Priority Filing Date: 12/8/2003
 Format preferred for results: Paper
 Search Topic Information:

matrix and (tun\$4 near3 laser) and (temperature with filter near4 tun\$4) and (control\$4 near5 error near4 signal)

Special Instructions and Other Comments:

Submit comments and suggestions to [Kristin Vajs](#)

To report technical problems, contact [STIC Web Designer](#)